


Technical File


Keen Line - Desk Fix





01


Dimensions







Width: 600mm Height: 550mm Thickness: 24mm Width: 700mm Height: 550mm Thickness: 24mm



Width: 1200mm Height: 550mm Thickness: 24mm Width: 1400mm Height: 550mm Thickness: 24mm Width: 1600mm Height: 550mm Thickness: 24mm Width: 1800mm Height: 550mm Thickness: 24mm



02 Finishes



Composition Painted Birch Plywwod
Thickness 15 mm
FSC certified
PEFC certified
Harvestered under EU timber regulations

Lacquered Finish White



Composition Painted Birch Plywwod
Thickness 15 mm
FSC certified
PEFC certified
Harvestered under EU timber regulations

Lacquered FinishGrey



Composition Laminated Birch Plywood Thickness 15 mm Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5 Fully cleanable and disinfectable FSC certified PEFC certified Harvestered under EU timber regulations **Laminated Finish**Beige Gaudi



Composition Laminated Birch Plywood Thickness 15 mm Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5 Fully cleanable and disinfectable FSC certified PEFC certified Harvestered under EU timber regulations **Laminated Finish**Grey Stone



Composition Laminated Birch Plywood Thickness 15 mm

Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5
Fully cleanable and disinfectable
FSC certified
PEFC certified
Harvestered under EU timber regulations

Laminated Finish Lino Blanco





Composition Laminated Birch Plywood Thickness 15 mm Wear Resistance ISO 4586-1/2: 350 Cycles Stain Resistance ISO 4586-1/2: 5 Fully cleanable and disinfectable FSC certified PEFC certified Harvestered under EU timber regulations Laminated Finish Lino Gris



Composition 100% Birch Plywood
Thickness 15 mm
Vegetable-based Oil-wax finish
Formaldehyde free
FSC certified
PEFC certified
Harvestered under EU timber regulations

Wood Carrot

disinfectable -



Composition 100% Birch Plywood
Thickness 15 mm
Vegetable-based Oil-wax finish
Formaldehyde free
FSC certified
PEFC certified
Harvestered under EU timber regulations

Wood Chocolate



Composition 100% Birch Plywood
Thickness 15 mm
Vegetable-based Oil-wax finish
Formaldehyde free
FSC certified
PEFC certified
Harvestered under EU timber regulations

Wood Cream



Composition 100% Birch Plywood
Thickness 15 mm
Vegetable-based Oil-wax finish
Formaldehyde free
FSC certified
PEFC certified
Harvestered under EU timber regulations

Wood Tea Grey





Thickness 8 mm Transparency Clear **Acrylic** Clear